



# LED Shoe Box Light 100W



- Die-cast Aluminum Housing with Corrosion Resistant Powder Coat
- 4 Types of Mounting Brackets
- High Performance SMD3030 Chips
- L70>50,000 hours
- Easy to instal with single worker
- High Efficiency PC Lens
- Type3, Type4, Type5 Distribution
- Surge Protection 10KVA
- High Quality Drivers

## Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China  
Warehouse Add: 25 Meriton Place, Clayton South, VIC 3169

Tel: 0401 826 618

Email: [info@erstech.com.au](mailto:info@erstech.com.au)



**IPART**  
Independent Pricing and Regulatory Tribunal  
New South Wales



**Victorian  
Energy  
Upgrades**

**5** year warranty

**LM-80 TM21 LM79  
ISTMT LCP**



## APPLICATION

1. Street Lighting, Road Lighting, Roadway Lighting
2. Outdoor Area Lighting, High Mast Lighting
3. Parking Lot Lighting, solar Lighting



## Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second  
Road, Xixiang Town, Bao'an District, Shenzhen, China  
Warehouse Add: 25 Meriton Place, Clayton South, VIC 3169

Tel: 0401 826 618

Email: [info@erstech.com.au](mailto:info@erstech.com.au)



**IPART**  
Independent Pricing and Regulatory Tribunal  
New South Wales



**Victorian  
Energy  
Upgrades**



**LM-80 TM21 LM79  
ISTMT LCP**



## SPECIFICATIONS

|               |                       |
|---------------|-----------------------|
| Item Code     | ERS-SB100W-A1         |
| Power         | 100W                  |
| Efficiency    | 130lm/w               |
| Lumen         | 14000lm               |
| Power Driver  | Sosen SS-100VP-56BH   |
|               | Meanwell HLG-100H-48A |
| LEDS Brand    | Lumileds 3030         |
| Input Voltage | AC220~240V,50Hz       |
| CCT           | 3000-6500K            |
| IP Rating     | IP 65                 |
| Beam Angle    | TYPE3,TYPE4,TYPE5     |
| Driver Brand  | Sosen/Meanwell        |
| Power Factor  | >0.95                 |
| CRI           | Ra > 80               |
| Material      | AL                    |
| Warranty      | 5 Years               |

### Shenzhen ERS Technology

Factory Add: C209,Baohuasen International Center, Qianjin Second  
Road,Xixiang Town,Bao'an District,Shenzhen,China  
Warehouse Add: 25 Meriton Place, Clayton South, VIC 3169

Tel: 0401 826 618

Email: info@erstech.com.au



Victorian  
Energy  
Upgrades



LM-80 TM21 LM79  
ISTMT LCP




## PACKING



| Model             | ERS-SB60/75W-A1 | ERS-SB100/150W-A1 | ERS-SB200W-A1 | ERS-SB240/300/320W-A1 |
|-------------------|-----------------|-------------------|---------------|-----------------------|
| Product Size (mm) | 357X290X73      | 536X322X80        | 560X322X75    | 540X346X103           |
| CTN Size (mm)     | 530X380X160     | 590X380X160       | 672X390X195   | 750X400X180           |
| N.W.(KG)          | 4.5             | 6.2               | 6.3           | 7.5                   |
| G.W. (KG)         | 5.1             | 7                 | 6.05          | 8.6                   |
| QTY/CTN           | 1               | 1                 | 1             | 1                     |

## BRACKET



## Shenzhen ERS Technology

Factory Add: C209,Baohuasen International Center, Qianjin Second  
Road,Xixiang Town,Bao'an District,Shenzhen,China  
Warehouse Add: 25 Meriton Place, Clayton South, VIC 3169

Tel: 0401 826 618

Email: [info@erstech.com.au](mailto:info@erstech.com.au)



Victorian  
Energy  
Upgrades




LM-80 TM 21 LM 79  
ISTMT LCP




## DISTRIBUTION OPTIONAL


TYPE 3



TYPE 4



TYPE 5



## Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China  
Warehouse Add: 25 Meriton Place, Clayton South, VIC 3169

Tel: 0401 826 618

Email: [info@erstech.com.au](mailto:info@erstech.com.au)



**IPART**  
Independent Pricing and Regulatory Tribunal  
New South Wales



**LM-80 TM21 LM79**  
**ISTMT LCP**

