

LED Dimmable Down Light | 9W



Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China
Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195

Tel: 048 470 3010
Email: info@erstech.com.au



IPART
Independent Pricing and Regulatory Tribunal
New South Wales



Victorian
Energy
Upgrades



LM-80 TM 21 LM 79
ISTMT LCP



APPLICATION

Application Suitable for indoor lighting in hotels, homes, cafes, shopping malls, offices, factories, hospitals, etc



SPECIFICATIONS

| | |
|-------------------|--|
| Item No. | ERSDL-9WCCT |
| Power | 9W |
| Input Voltage | AC220-240V, 50Hz |
| Efficiency | 100lm/w |
| Lumen | 900lm |
| LED Type | SMD 2835 |
| CCT | CCT Changeable (3000K & 4000K & 5000K) |
| CRI | Ra > 80 |
| Power Factor | > 0.9 |
| Beam Angle | 110° |
| IP Rating | IP20 |
| Material | Aluminium+PC |
| Warranty | 3 years |
| Cutout (mm) | 90 |
| Product Size (mm) | 120X120X68 |
| Dimming Type | Trailing edge dimming |
| VEU | Approved |
| IPART | Approved |

Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China
Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195

Tel: 048 470 3010

Email: info@erstech.com.au



IPART
Independent Pricing and Regulatory Tribunal
New South Wales



Victorian
Energy
Upgrades




LM-80 TM 21 LM 79
ISTMT LCP



PACKING

| N.W.(KG) | G.W.(KG) | CARTON SIZE(mm) | QTN/CTN |
|----------|----------|-----------------|---------|
| 8 | 10.6 | 495X270X370 | 40 |

Package size (1200mm item)



1 Pallet=485kg=46ctns=1840pcs

Shenzhen ERS Technology

Factory Add: C209, Baohuasen International Center, Qianjin Second Road, Xixiang Town, Bao'an District, Shenzhen, China
Warehouse Add: 57 Tarnard Dr, Braeside VIC 3195

Tel: 048 470 3010

Email: info@erstech.com.au



IPART
Independent Pricing and Regulatory Tribunal
New South Wales



LM-80 TM 21 LM 79
ISTMT LCP



Victorian
Energy
Upgrades



ESSENTIAL SERVICES COMMISSION